Serial No. 10/722,433 Docket No.: P04549-US

CLO.008



1. (Currently Amended) A chip antenna comprising:

a base member which is composed of comprising at least one of a dielectric material and a [[or]] magnetic material and which has including a stacked structure including a plurality of stacked layers;

a plurality of pattern antennas which are formed on [[a]] the plurality of stacked layers and which have predetermined patterns, respectively, and of which at least parts of said predetermined patterns are not overlapping with each other in [[the]] a stacked direction of [[a]] the plurality of stacked layers, and

a feeding terminal which is formed on a surface of said base member and which is connected to [[a]] each of the plurality of pattern antennas stacked layers.

- 2. (Original) A wireless communication device in which said chip antenna as claimed in claim 1 is used.
- 3. (Currently Amended) A chip antenna unit having predetermined frequency characteristics, comprising:
 - a mounting substrate;
- a base member which is mounted on said mounting substrate and which is composed of comprising at least one of a dielectric material and a [[or]] magnetic material;
 - a pattern antenna which is formed on said base member;
- a feeding terminal which is formed on a surface of said base member and which is connected to said pattern antenna;

Serial No. 10/722,433

Docket No.: P04549-US

CLO.008

a fixed terminal which is formed on a surface of said base member and which is

connected to said pattern antenna;

a fixing portion which is composed of comprising a conductor and which is formed on

said mounting substrate and which is connected to said fixed terminal and thereby fixes said

base member on said mounting substrate; and

said predetermined frequency characteristics being adjusted by changing an area of

said fixing portion.

4. (Original) A wireless communication device in which said chip antenna unit as

claimed in claim 3 is used.

5. (Currently Amended) A chip antenna unit having predetermined frequency

characteristics, comprising:

a mounting substrate;

a base member which is mounted on said mounting substrate and which is composed

of comprising at least one of a dielectric material and a [[or]] magnetic material and which

has a stacked structure including a plurality of layers;

a plurality of pattern antennas which are formed on said [[a]] plurality of layers and

which have predetermined patterns, respectively, and of which at least parts of said

predetermined patterns are not overlapping with each other in [[the]] a stacked direction of

said [[a]] plurality of layers;

3

a feeding terminal which is formed on a surface of said base member and which is

connected to said pattern antenna;

a fixed terminal which is formed on a surface of said base member and which is

connected to said pattern antenna;

a fixing portion which is composed of comprising a conductor and which is formed on

said mounting substrate and which is connected to said fixed terminal and thereby fixes said

base member on said mounting substrate; and

said predetermined frequency characteristics being adjusted by changing an area of

said fixing portion.

6. (Original) A wireless communication device in which said chip antenna unit as

claimed in claim 5 is used.

7. (Currently Amended) A chip antenna comprising;

a stacked base member which is composed of comprising at least one of a dielectric

material and a [[or]] magnetic material and a stacked structure including a plurality of layers;

a pattern antenna which is formed on said base member at least one of the plurality of

layers and which includes a first area having a rectangular shape and a second area elongating

continuously from said first area; [[and]]

a slit dividing said first and said second areas of said pattern antenna, said slit

elongating straight in a longitudinal direction of the stacked base member; and

a feeding terminal which is formed on a surface of said stacked base member and

which is connected to said pattern antenna.

4

Serial No. 10/722,433 Docket No.: P04549-US

CLO.008

8. (Currently Amended) A chip antenna as claimed in claim 7, wherein a slit is formed between said first and said second areas of said pattern antenna,

said chip antenna further comprising:

a fixed terminal which is formed on a surface of said stacked base member and which is connected to said pattern antenna; and

a fixing portion comprising a conductor and which is formed on a mounting substrate and which is connected to said fixed terminal and thereby fixes said stacked base member on said mounting substrate.

- 9. (Currently Amended) A chip antenna as claimed in claim 7, wherein said chip antenna further comprises the other another pattern antenna having a shape other than [[thst]] that of said pattern antenna.
- 10. (Currently Amended) A chip antenna as claimed in claim 8, comprising:
 a base member comprising at least one of a dielectric material and a magnetic material;

a pattern antenna which is formed on said base member and which includes a first area having a rectangular shape and a second area elongating continuously from said first area;

a slit formed between said first and said second areas of said pattern antenna;

a feeding terminal which is formed on a surface of said base member and which is

connected to said pattern antenna; and

wherein said chip antenna further comprises the other another pattern antenna having

Serial No. 10/722,433

Docket No.: P04549-US

CLO.008

a shape other than that of said pattern antenna.

11. (Original) A. wireless communication device in which said chip antenna as claimed in

claim 7 is used.

12. (Original) A wireless communication device in which said chip antenna as claimed in

claim 8 is used.

13. (Original) A wireless communication device in which said chip antenna as claimed in

claim 9 is used.

14. (New) A chip antenna as claimed in claim 1, further comprising:

a fixed terminal which is formed on a surface of said base member and which is

connected to said plurality of pattern antennas; and

a fixing portion comprising a conductor and which is formed on a mounting substrate

and which is connected to said fixed terminal and thereby fixes said base member on said

mounting substrate.

15. (New) A chip antenna as claimed in claim 10, wherein said base member comprises a

stacked structure including a plurality of layers.

16. (New) A chip antenna comprising:

a base member comprising at least one of a dielectric material and a magnetic

material,

6

Serial No. 10/722,433 Docket No.: P04549-US

CLO.008

a pattern antenna formed on said base member;

a fixed terminal which is formed on a surface of said base member and which is connected to said pattern antenna; and

a fixing portion comprising a conductor and which is formed on a mounting substrate and which is connected to said fixed terminal and thereby fixes said base member on said mounting substrate.

- 17. (New) A chip antenna as claimed in claim 16, wherein said base member comprises a stacked structure including a plurality of layers.
- 18. (New) A. wireless communication device in which said chip antenna as claimed in claim 10 is used.
- 19. (New) A wireless communication device in which said chip antenna as claimed in claim 14 is used.
- 20. (New) A wireless communication device in which said chip antenna as claimed in claim 16 is used.